Table 1. Burrowing Depths of Mammal Species Local to SF Bay Area

Species	Max. burrowing depth (ft)
Botta's Pocket Gopher *(Thomomys bottae)*[1]	6
California Ground Squirrel *(Spermophilus beecheyi)*[2]	5.5
Heermann's Kangaroo Rat *(Dipodomys heermanni)*[3]	2.5
California Vole *(Microtus californicus)*[4]	0.5
Broad-footed Mole *(Scapanus latimanus)*[5]	>1
Norway Rat *(Rattus norvegicus)*[6]	4.9
Mountain Beaver *(Aplodontia rufa)*[7]	5.9

Table 2. Burrowing Depths of Ants Local to SF Bay Area

Species	Max. burrowing depth (ft)
Pogonomyrmex californicus[8]	6.6
Pogonomyrmex occidentalis[9]	>9.8
Pogonomyrmex owyheei[10]	8.9
Pogonomyrmex rugosus[11]	13.1
Pogonomyrmex salinus[12]	7.6
Pogonomyrmex subnitidus[13]	13.1
Prenolepis imparis[14]	11.8

---

1. Salmon and Baldwin, Pocket Gophers: Integrated Pest Management for Home Gardeners and Landscape Professionals, University of California, Statewide Integrated Pest Management Program, Agriculture and Natural Resources, September 2009, pg. 1
2. Gano and States, Habitat Requirements and Burrowing Depths of Rodents in Relation to Shallow Waste Burial Sites, prepared for US DOE by Battelle, May 1982, Table 2, pg. 8
3. ibid., Table 4, pg. 12
4. Cudworth and Koprowsky, *Microtus californicus (Rodentia: Cricetidae), Mammalian Species 42*(868), November 2010, pg. 237
5. Harris, Life history account for Broad-footed Mole, California Department of Fish and Wildlife, May 2000, p. 1
6. Lore and Flannelly, Habitat selection and burrow construction by wild *Rattus norvegicus* in a landfill. *Journal of Comparative and Physiological Psychology, 92*(5), 888-896, 893.

7. Campbell, D. 2005. Mountain Beavers and Control of Mountain Beaver Damage. Wildlife Damage Management Technical Series. USDA, APHIS, WS National Wildlife Research Center. Ft. Collins, Colorado. 6 pages. Page 2.

8. United States Department of Energy, "Characterization of the Hanford 300 Area Burial Grounds: Task IV – Biological Transport." By R.E. Fitzner, K.A. Gano, W.H. Rickard, and L.E. Rogers. October 1979. P. 26

9. Office of Radiation Programs, EPA. Final Environmental Impact Statement for Remedial Action Standards for Inactive Uranium Processing Sites (40 CFR 192). Volume 1. October 1982. pg. C-24, PDF pg. 25

10. Sample, B. et al. "Depth of the biologically active zone in upland habitats at the Hanford site, Washington: Implications for remediation and ecological risk management." *Integrated Environmental Assessment and Management, 11*(1), pp. 153.

11. MacKay, W. A comparison of the nest phenologies of three species of *Pogonomyrmex* harvester ants *(Hymenoptera: Formicidae). Psyche, 88*(1-2), pp. 25-74, pg. 32. 1981.

12. Sample, B. et al. "Depth of the biologically active zone in upland habitats at the Hanford site, Washington: Implications for remediation and ecological risk management." *Integrated Environmental Assessment and Management, 11*(1), pp. 153.

13. MacKay, W. A comparison of the nest phenologies of three species of *Pogonomyrmex* harvester ants (Hymenoptera: Formicidae). *Psyche, 88*(1-2), pp. 25-74, pg. 32. 1981.

14. Tschinkel, W. Seasonal life history and nest architecture of a winter-active ant, *Prenolepis imparis. Insectes Sociaux*, *34*(3), pp. 153.